

**HAMBDEN TOWNSHIP
REQUEST FOR QUOTE**

PROJECT NAME: Hambden Township Doors & Locks Upgrade

QUOTES ARE DUE: Wednesday, May 16, 2018 3:00 p.m.
Date Time

PROJECT WILL BE AWARDED: Wednesday, June 6, 2018 6:30 p.m.
Date Time

DESCRIPTION OF PROJECT:

Hambden Township is looking for labor and material quotes to upgrade doors and locks as described in the attached specifications.

All locks and doors are to be of equal or better quality.

Provide estimated completion date.

Leave old locksets.

New door to be insulated, caulked etc. as needed.

Incomplete quotes will not be considered.

Any questions, please contact: Paul Molan at (216) 469-7883

Please submit all quotes to: Hambden Township, 13887 GAR Highway, Chardon, OH 44024
E-mail to: hambden@hambdentownship.com
or Fax to: (440) 286-1693

ALL QUOTES MUST INCLUDE COST OF PERMITS, if applicable AND COPY OF LIABILITY INSURANCE LISTING HAMBDEN TOWNSHIP AS CERTIFICATE HOLDER.

April 12, 2018

Hambden town hall doors

Old town hall doors

- 1# = Front door.** Removal of existing ; lock set
; exterior handle
; interior fixed push handle
Installation of; new panic bar with lever handle and lock [see specs sheets]
; 3 - Unisex bolt and donut washers to fill in existing holes
- 1-A# = interior French door,** Removal of; vertical pin locks
installation of a ball catch on each door [upper only]
- 2# = lower east door.** Removal of existing; lock set
Installation of; new panic bar with lever handle and digital lock [see spec sheets]
; New door closure [see spec sheets]
- 3# = upper south door.**
Removal of existing ; lock set
Installation of; new panic bar with lever handle and lock [see spec sheets]

Newer town hall doors

- 4# = exterior door. [outer door]**
Removal of existing; exterior handle
; Interior fixed push handle
Installation of; new panic bar with lever handle and lock [see spec sheets]
; 3 - unisex bolts and donut washer to fill existing holes
- 5# = interior door [inner door]**
Removal of existing; exterior handle
; Interior fixed push handle
; Lock set
Installation of; new panic bar with lever handle and lock set [see spec sheets]
3 - unisex bolts and donuts washer to fill existing holes
- 6# = hallway door**
Removal of existing; lock set
Installation of; new panic bar with lever handle and lock set [see spec sheets]
- 7# = hallway door [from zoning office]**
Removal of existing; entry door and complete frame system, [save]
; Lock set
Installation of; existing door that was removed, flip flop swing, [only if door was salvaged]
; New panic bar with lever handle and lock set [see spec sheets]
- 8# = Zoning Entry door**
Removal of existing; entry door [discard]
Lock set
Installation of; new 9 lite entry door [see spec sheets]
; New panic bar with lever handle and lock set [see spec sheets]
; New door closure [see spec sheet]

All doors locks need to be security keyed

All locks to be keyed to one master key

Doors = #1 / #2 / #3 / #4 / #5 to be keyed alike with use of master key

Doors = #6 / #7 / #8 to be keyed alike with use of master key

EXIT DEVICES AND HARDWARE


NON-STOCK

4400 Series Rim Type Exit Device

For 36" doors (handed)
4-1/2" minimum stile requirements
Limited Lifetime Warranty

440
Roller Strike

4400EO



ESC4400




THP4400

2000 Series Exit Devices / Trim

2000RAL33

X-82-F

KIL
Key in Lever



LE-08-2



TP-08

Meets and exceeds ANSI A156.3, Grade 1 Standards. Meets ADA requirements Hex Key Dogging standard for panic hardware. Limited Lifetime Warranty.

ITEM#	DESCRIPTION	FINISH	HDW. ONLY	INSTALLED
2000RAL33	Touchbar Exit Device	Painted Aluminum		
KIL	Entry Key In Lever w/2000R AL33	US26D		
LE-08-2	Entry Lever Escutcheon Trim w/2000R AL33	US32D		
TP-08	Entry Thumbpiece Trim	US32D		
X-82-F-US26D	Entry Cylindrical Flat Lever Only	US26D		
X-82-F-US3PVD	Entry Cylindrical Flat Lever Only	US3 PVD		
4400EO	Rim Type Exit Device	US26D		
ESC4400	Exit Lever w/cyl US26 w/4400EO	US26D		
THP4400	Exit Thumbpiece w/cyl US26 w/4400EO	US26D		

DOOR CLOSURES

116AL

Meets ANSI A156.4 Grade 1 Standards
Meets ADA requirements UL Listed
Adjustable Spring Power from size 1 to 6
Limited Lifetime Warranty

ITEM#	DESCRIPTION	FINISH	HDW. ONLY	INSTALLED
116AL	Surface Mounted Door Closure	Painted Aluminum		
116 / 316AL	Adjustable Type Hold Open Arm	Painted Aluminum		

NOTE: Closer and Bracket applied, Arms shipped loose.

Door Closure Reinforcement

Door Panic Hardware Reinforcement

Door Closure and Panic Hardware Reinforcement

LINE	QTY	UM	SKU	DESCRIPTION	UNITS	SUGG	PRICE/	PER	EXTENSION
1									
2	1	EA	146	THERMA TRU SMOOTH STAR	1				
3				FIBERGLASS 3/0 X 6/8					
4				OUTSWING					
5				2 3/4" BACKSET					
6				WHITE CAP DURA PLAST 4 5/8					
7				FRAME					
8				WHITE PVC BRICK MOLD					
9				ADA SILL - MILL FINISH					
10				BRUSHED NICKEL NRP HINGES					
11				#S132RTWCLE (9 LITE GBG WITH					
12				BLINDS LOW E GLASS)					
13				PRE FINISHED BRIGHT WHITE					
14				INTERIOR AND EXTERIOR					
15				DOOR CLOSURE AND PANIC HARDWARE					
16				REINFORCEMENT					
				DOOR OPTION #1					

LINE	QTY	UM	SKU	DESCRIPTION	UNITS	SUGG	PRICE/	PER	EXTENSION
1									
2	1	EA	146	#KIL 2000 SERIES EXIT DEVICE	1				
3				2000RAL33 WITH ENTRY KEY IN					
4				LEVER					
5				US32D FINISH					
6									
7	1	EA	146	#116AL SURFACE MOUNTED DOOR	1				
8				CLOSURE WITH ADJUSTABLE TYPE					
9				HOLD OPEN ARM					
10				MEETS ANSI A156.4 GRADE 1					
11				STANDARDS					
12				MEETS ADA REQUIREMENTS UL					
13				LISTED					
14				LIMITED LIFETIME WARRANTY					
15									
16									
17				BOTH ITEMS REQUIRE FIELD					
18				INSTALLATION					
				HARDWARE OPTION					